EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	1	"6389462".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/05/29 11:49
L6	0	"6389462".pn. (satellite or wireless)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/05/29 11:49
L7	0	"6389462".pn. (satellite or wireless or radio)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/05/29 11:50
L8	36911	(application or call) near2 (transfer$3 or hand$off)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L9	0	L8 "5742905".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L10	4	((application or session) with transfer$) (source or destination with (IP adj address)) XML SIP (RPC or "remote procedure call") script	USPAT	AND	ON	2007/05/29 13:01
L11	7	((application or call or task or session) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L12	53	(wireless or cellular) with (call near2 transfer$3).ab.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01

C:\Documents and Settings\vkorobov\My Documents\EAST\Workspaces\10084790.wsp

L13	59	((application or call or task or feature or session or state) same (transfer$3 or hand$off or switch$3) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) (SIP adj invite) authenticat$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L14	1	"6202206".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L15	1	"6339826".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L16	10	(handoff with (application or service) with source) and (SIP OR XML)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L17	1736	delta and synchron$4 and server	USPAT; IBM_TDB	AND	ON	2007/05/29 13:01
L18	99	L17 and palm	USPAT; IBM_TDB	AND	ON	2007/05/29 13:01
L19	4	"6885861"	USPAT; IBM_TDB	AND	ON	2007/05/29 13:01
L20	407	((wireless or cellular) with (call near2 (transfer$3 or switch$4 or hand$off))) (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L21	4	"6885861"	USPAT; IBM_TDB	AND	ON	2007/05/29 13:01
L22	53	(wireless or cellular) with (call near2 transfer$3).ab.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L23	25	((wireless or cellular) with call with (transfer or hand$off) same (IP adj address))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01

L24	99	((application or call or task or feature) with (transfer or hand$off or switch) with (client or user or terminal or device)) and XML and script and "remote procedure call" and (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L25	89	((application or call or task or feature) with (transfer or hand$off or switch) with (client or user or terminal or device)) XML script "remote procedure call" (IP adj address) (wireless or cellular or satellite or PDA)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L26	10	(wireless or cellular).ab,ti,clm. adj call with transfer	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L27	23	((application or call) near2 (transfer or hand$off or switch$3) with (client or user or terminal or device)).ab. and (application adj server) and (IP adj address) and (destination or target or source)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L28	52	(wireless or cellular) adj call with transfer	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L29	34	(application or service) near2 (transfer$3 or hand$off) SIP SDP IP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L30	14	application near2 (transfer$3 or hand$off) SIP SDP IP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L31	94	((application or call) near2 (transfer$3 or hand$off)) script$4 authenticat$4 hand$off	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L32	47	(application or call) near2 (transfer$3 or hand$off) SIP script SDP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01

L33	0	((application or call) near2 (transfer$3 or hand$off)) script$4 authenticat$4 hand$off ("remote procedure call") SIP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L34	14	application near2 (transfer$3 or hand$off) SIP SDP IP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L35	76	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L36	214	(application or call) near2 (transfer$3 or hand$off) SIP script	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L37	10	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L38	10	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L39	1450	(application or call) near2 (transfer$3 or hand$off) SIP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L40	8	((application or call) near2 (transfer$3 or hand$off)) script$4 authenticat$4 hand$off ("remote procedure call")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L41	1	((application or call or task or session) with (transfer$3 or hand$off or allocat$4 or assign$4) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3 (session near3 transfer)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01

L42	7	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L43	24093	application near2 (transfer$3 or hand$off)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L44	1	"5742905".pn.	USPAT	AND	ON	2007/05/29 13:01
L45	1	"5742905".pn. application transfer$	USPAT	AND	ON	2007/05/29 13:01
L46	7	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3 allocat$3 assign$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L47	204	(wireless or cellular) with call with transfer and (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L48	7	((application or call or task or session) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L49	1736	delta and synchron$4 and server	USPAT; IBM_TDB	AND	ON	2007/05/29 13:01
L50	94	((application or call) near2 (transfer$3 or hand$off)) script$4 authenticat$4 hand$off	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:01
L51	3	((application or session) with transfer$) (source or destination with (IP adj address)) XML SIP (RPC or "remote procedure call") SDP script	USPAT	AND	ON	2007/05/29 13:01
L52	47	(application or call) near2 (transfer$3 or hand$off) SIP script SDP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02

EAST Search History

L53	313	(wireless or cellular) with call with (transfer or hand$off) and (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L54	0	(handoff$1 with (application or service) with source) and SIP XML RPC	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L55	7	(integrat$3 with (router$modem or switch$modem or modem$router or modem$switch))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/05/29 13:02
L56	0	((application or call or task or session) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3 (session near3 transfer)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L57	0	application near2 (transfer$3 or hand$off) "5742905".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L58	8	((application or call or task or session) with (transfer$3 or hand$off or allocat$4 or assign$4) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L59	6	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3 allocat$3 assign$3 invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L60	117	((application or call or task or feature or session or state) same (transfer$3 or hand$off or switch$3) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02

L61	77	((application or call or task or feature or session or state) same (transfer$3 or hand$off or switch$3) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) (SIP adj invite)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L62	60	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L63	1023	((application or call) near2 (transfer$3 or hand$off)) script$4 authenticat$4	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L64	0	(handoff$1 with (application or service) with source) and SIP XML RPC	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L65	59	((application or call or task or feature or session or state) same (transfer$3 or hand$off or switch$3) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) (SIP adj invite) authenticat$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L66	354	(modem with integrated with (router or switch)) wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/05/29 13:02
L67	619	(modem with integrated with (router or switch))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/05/29 13:02
L68	6	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3 allocat$3 assign$3 invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02

EAST Search History

L69	54	((modem with integrated with (router or switch)) wireless) @ad<"20010101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/05/29 13:02
L70	39	((application or call or task or feature or session or state) same (transfer$3 or hand$off) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) (SIP adj invite) authenticat$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L71	214	(application or call) near2 (transfer$3 or hand$off) SIP script	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L72	52	(wireless or cellular) adj call with transfer	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L73	99	((application or call or task or feature) with (transfer or hand$off or switch) with (client or user or terminal or device)) and XML and script and "remote procedure call" and (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L74	36911	(application or call) near2 (transfer$3 or hand$off)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L75	0	((application or call or task or session) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3 (session near3 transfer)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L76	24093	application near2 (transfer$3 or hand$off)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L77	1	"6202206".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02

EAST Search History

L78	1	"6339826".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L79	1	(handoff with (application or service) with source) and SIP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L80	1	"5473143".pn.	USPAT	AND	ON	2007/05/29 13:02
L81	1023	((application or call) near2 (transfer$3 or hand$off)) script$4 authenticat$4	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L82	8	((application or call or task or session) with (transfer$3 or hand$off or allocat$4 or assign$4) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L83	76	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L84	4	(mobility with (service or application)).ab. 709/203.ccls. @ad<"20020205"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L85	68	(mobility with (service or application)) IP XML SIP (authori$7 or authenticat$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L86	43	(mobility with (service or application)) 709/203.ccls. @ad<"20020205"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L87	2	(mobility with (service or application)) 709/203.ccls. IP XML SIP (authori$7 or authenticat$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02

L88	16	(mobility with (service or application)) 709/203.ccls. IP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L89	313	(wireless or cellular) with call with (transfer or hand$off) and (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L90	81	((application or call or task or feature or session or state) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L91	16	(handoff$1 with messag$3 with source) and SIP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L92	10	(wireless or cellular).ab,ti,clm. adj call with transfer	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L93	70889	((application or session) with transfer$)	USPAT	AND	ON	2007/05/29 13:02
L94	1	"6742022".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L95	1	(mobility with (service near recovery)).ab. 709/203.ccls. @ad<"20020205"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L96	34917	(application or service) near2 (transfer$3 or hand$off)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L97	10	(handoff with (application or service) with source) and (SIP OR XML)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L98	99	L49 and palm	USPAT; IBM_TDB	AND	ON	2007/05/29 13:02

EAST Search History

L99	3	((application or session) with transfer$) (source or destination with (IP adj address)) XML SIP (RPC or "remote procedure call") SIP SDP XML script	USPAT	AND	ON	2007/05/29 13:02
L100	23	((application or session) with transfer$) (source or destination with (IP adj address)) XML SIP script	USPAT	AND	ON	2007/05/29 13:02
L101	1	"6742022".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L102	1	(mobility with (service near recovery)).ab. 709/203.ccls. @ad<"20020205"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L103	88	(session with transfer$ with between with client)	USPAT	AND	ON	2007/05/29 13:02
L104	3	((application or session) with transfer$) ((source or destination) with (IP adj address)) XML SIP script	USPAT	AND	ON	2007/05/29 13:02
L105	5	(integrat$3 with (router$modem or switch$modem or modem$router or modem$switch)) wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/05/29 13:02
L106	34	(application or service) near2 (transfer$3 or hand$off) SIP SDP IP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L107	7	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L108	155	((application or call or task or feature) with (transfer or hand$off or switch) with (client or user or terminal or device)) and XML and script and "remote procedure call"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02

EAST Search History

L109	1450	(application or call) near2 (transfer$3 or hand$off) SIP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L110	0	((application or call) near2 (transfer$3 or hand$off)) script$4 authenticat$4 hand$off ("remote procedure call") SIP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L111	1	(handoff with (application or service) with source) and SIP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L112	8	((application or call) near2 (transfer$3 or hand$off)) script$4 authenticat$4 hand$off ("remote procedure call")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L113	133	(application or service) near2 (transfer$3 or hand$off) SIP SDP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L114	155	((application or call or task or feature) with (transfer or hand$off or switch) with (client or user or terminal or device)) and XML and script and "remote procedure call"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L115	1	"5473143".pn. application transfer$	USPAT	AND	ON	2007/05/29 13:02
L116	407	((wireless or cellular) with (call near2 (transfer$3 or switch$4 or hand$off))) (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L117	133	(application or service) near2 (transfer$3 or hand$off) SIP SDP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L118	1	((application or call or task or session) with (transfer$3 or hand$off or allocat$4 or assign$4) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3 (session near3 transfer)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02

L119	0	(application near2 (transfer$3 or hand$off)) and "5742905".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L120	698	((application or call) near2 (transfer or hand$off or switch) with (client or user or terminal or device)).ab.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L121	25	((wireless or cellular) with call with (transfer or hand$off) same (IP adj address))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L122	698	(wireless or cellular) with (call near2 transfer$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L123	1282	((application or call or task or feature) with (transfer or hand$off or switch) with (client or user or terminal or device)) and XML and script	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L124	698	((application or call) near2 (transfer or hand$off or switch) with (client or user or terminal or device)).ab.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L125	1282	((application or call or task or feature) with (transfer or hand$off or switch) with (client or user or terminal or device)) and XML and script	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L126	1282	((application or call or task or feature) with (transfer or hand$off or switch) with (client or user or terminal or device)) and XML and script	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L127	60	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02

EAST Search History

L128	1282	((application or call or task or feature) with (transfer or hand$off or switch) with (client or user or terminal or device)) and XML and script	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L129	1684	((wireless or cellular) with (call near2 (transfer$3 or switch$4 or hand$off))) (source or destination or (IP adj address))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L130	0	"5742905".pn. ((application or session) with transfer$)	USPAT	AND	ON	2007/05/29 13:02
L131	23	((application or call) near2 (transfer or hand$off or switch$3) with (client or user or terminal or device)).ab. and (application adj server) and (IP adj address) and (destination or target or source)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L132	0	(application or call) near2 (transfer$3 or hand$off) "5742905". pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L133	81	((application or call or task or feature or session or state) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L134	16	(handoff$1 with messag$3 with source) and SIP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L135	7	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3 allocat$3 assign$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L136	1684	((wireless or cellular) with (call near2 (transfer$3 or switch$4 or hand$off))) (source or destination or (IP adj address))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02

EAST Search History

L137	39	((application or call or task or feature or session or state) same (transfer$3 or hand$off) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) (SIP adj invite) authenticat$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L138	117	((application or call or task or feature or session or state) same (transfer$3 or hand$off or switch$3) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L139	0	"5742905".pn. and (application with transfer$)	USPAT	AND	ON	2007/05/29 13:02
L140	68	(mobility with (service or application)) IP XML SIP (authori$7 or authenticat$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L141	77	((application or call or task or feature or session or state) same (transfer$3 or hand$off or switch$3) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) (SIP adj invite)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L142	43	(mobility with (service or application)) 709/203.ccls. @ad<"20020205"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L143	16	(mobility with (service or application)) 709/203.ccls. IP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L144	2	(mobility with (service or application)) 709/203.ccls. IP XML SIP (authori$7 or authenticat$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L145	204	(wireless or cellular) with call with transfer and (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02

EAST Search History

L146	89	((application or call or task or feature) with (transfer or hand$off or switch) with (client or user or terminal or device)) XML script "remote procedure call" (IP adj address) (wireless or cellular or satellite or PDA)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
L147	4	(mobility with (service or application)).ab. 709/203.ccls. @ad<"20020205"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/05/29 13:02
S1	535	(modem with integrated with (router or switch))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/19 19:01
S2	297	(modem with integrated with (router or switch)) wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/19 19:01
S3	54	((modem with integrated with (router or switch)) wireless) @ad<"20010101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/19 19:04
S4	6	(integrat$3 with (router$modem or switch$modem or modem$router or modem$switch))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/19 20:11
S5	4	(integrat$3 with (router$modem or switch$modem or modem$router or modem$switch)) wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2007/02/19 20:12
S6	50	(wireless or cellular) with (call near2 transfer$3).ab.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47

S7	1607	((wireless or cellular) with (call near2 (transfer$3 or switch$4 or hand$off))) (source or destination or (IP adj address))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S8	380	((wireless or cellular) with (call near2 (transfer$3 or switch$4 or hand$off))) (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S9	194	(wireless or cellular) with call with transfer and (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S10	296	(wireless or cellular) with call with (transfer or hand$off) and (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S11	22	((wireless or cellular) with call with (transfer or hand$off) same (IP adj address))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S12	137	((application or call or task or feature) with (transfer or hand$off or switch) with (client or user or terminal or device)) and XML and script and "remote procedure call"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S13	94	((application or call or task or feature) with (transfer or hand$off or switch) with (client or user or terminal or device)) and XML and script and "remote procedure call" and (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S14	85	((application or call or task or feature) with (transfer or hand$off or switch) with (client or user or terminal or device)) XML script "remote procedure call" (IP adj address) (wireless or cellular or satellite or PDA)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S15	1	"6742022".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47

S16	10	(wireless or cellular).ab,ti,clm. adj call with transfer	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S17	21	((application or call) near2 (transfer or hand$off or switch$3) with (client or user or terminal or device)).ab. and (application adj server) and (IP adj address) and (destination or target or source)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S18	49	(wireless or cellular) adj call with transfer	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S19	674	((application or call) near2 (transfer or hand$off or switch) with (client or user or terminal or device)).ab.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S20	33535	(application or service) near2 (transfer$3 or hand$off)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S21	121	(application or service) near2 (transfer$3 or hand$off) SIP SDP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S22	32	(application or service) near2 (transfer$3 or hand$off) SIP SDP IP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S23	12	application near2 (transfer$3 or hand$off) SIP SDP IP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S24	23184	application near2 (transfer$3 or hand$off)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47

S25	35594	(application or call) near2 (transfer$3 or hand$off)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S26	947	((application or call) near2 (transfer$3 or hand$off)) script$4 authenticat$4	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S27	0	((application or call) near2 (transfer$3 or hand$off)) script$4 authenticat$4 hand$off ("remote procedure call") SIP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S28	91	((application or call) near2 (transfer$3 or hand$off)) script$4 authenticat$4 hand$off	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S29	1316	(application or call) near2 (transfer$3 or hand$off) SIP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S30	185	(application or call) near2 (transfer$3 or hand$off) SIP script	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S31	41	(application or call) near2 (transfer$3 or hand$off) SIP script SDP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S32	62	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S33	10	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47

EAST Search History

S34	8	((application or call) near2 (transfer$3 or hand$off)) script$4 authenticat$4 hand$off ("remote procedure call")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S35	7	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S36	7	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3 allocat$3 assign$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S37	7	((application or call or task or session) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S38	0	((application or call or task or session) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3 (session near3 transfer)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S39	1	((application or call or task or session) with (transfer$3 or hand$off or allocat$4 or assign$4) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3 (session near3 transfer)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S40	8	((application or call or task or session) with (transfer$3 or hand$off or allocat$4 or assign$4) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47

S41	49	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S42	6	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3 allocat$3 assign$3 invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S43	100	((application or call or task or feature or session or state) same (transfer$3 or hand$off or switch$3) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S44	63	((application or call or task or feature or session or state) same (transfer$3 or hand$off or switch$3) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) (SIP adj invite)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S45	49	((application or call or task or feature or session or state) same (transfer$3 or hand$off or switch$3) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) (SIP adj invite) authenticat$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S46	32	((application or call or task or feature or session or state) same (transfer$3 or hand$off) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) (SIP adj invite) authenticat$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S47	1	(mobility with (service near recovery)).ab. 709/203.ccls. @ad<"20020205"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S48	4	(mobility with (service or application)).ab. 709/203.ccls. @ad<"20020205"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47

S49	43	(mobility with (service or application)) 709/203.ccls. @ad<"20020205"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S50	2	(mobility with (service or application)) 709/203.ccls. IP XML SIP (authori$7 or authenticat$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S51	56	(mobility with (service or application)) IP XML SIP (authori$7 or authenticat$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S52	16	(mobility with (service or application)) 709/203.ccls. IP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S53	70	((application or call or task or feature or session or state) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S54	1189	((application or call or task or feature) with (transfer or hand$off or switch) with (client or user or terminal or device)) and XML and script	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S55	1	"6202206".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S56	15	(handoff$1 with messag$3 with source) and SIP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S57	1	"6339826".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47

S58	1189	((application or call or task or feature) with (transfer or hand$off or switch) with (client or user or terminal or device)) and XML and script	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S59	0	(handoff$1 with (application or service) with source) and SIP XML RPC	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S60	1	(handoff with (application or service) with source) and SIP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S61	10	(handoff with (application or service) with source) and (SIP OR XML)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S62	1630	delta and synchron$4 and server	USPAT; IBM_TDB	AND	ON	2007/02/19 20:47
S63	88	S62 and palm	USPAT; IBM_TDB	AND	ON	2007/02/19 20:47
S64	4	"6885861"	USPAT; IBM_TDB	AND	ON	2007/02/19 20:47
S65	662	(wireless or cellular) with (call near2 transfer$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S66	194	(wireless or cellular) with call with transfer and (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S67	296	(wireless or cellular) with call with (transfer or hand$off) and (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S68	23184	application near2 (transfer$3 or hand$off)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47

EAST Search History

S69	35594	(application or call) near2 (transfer$3 or hand$off)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S70	947	((application or call) near2 (transfer$3 or hand$off)) script$4 authenticat$4	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S71	0	((application or call) near2 (transfer$3 or hand$off)) script$4 authenticat$4 hand$off ("remote procedure call") SIP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S72	1316	(application or call) near2 (transfer$3 or hand$off) SIP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S73	185	(application or call) near2 (transfer$3 or hand$off) SIP script	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S74	0	((application or call or task or session) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3 (session near3 transfer)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S75	1	((application or call or task or session) with (transfer$3 or hand$off or allocat$4 or assign$4) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3 (session near3 transfer)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S76	49	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S77	0	(handoff$1 with (application or service) with source) and SIP XML RPC	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47

S78	1630	delta and synchron$4 and server	USPAT; IBM_TDB	AND	ON	2007/02/19 20:47
S79	1	"6742022".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S80	1	(mobility with (service near recovery)).ab. 709/203.ccls. @ad<"20020205"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S81	1	"6202206".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S82	1	"6339826".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S83	1	(handoff with (application or service) with source) and SIP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S84	4	"6885861"	USPAT; IBM_TDB	AND	ON	2007/02/19 20:47
S85	50	(wireless or cellular) with (call near2 transfer$3).ab.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S86	22	((wireless or cellular) with call with (transfer or hand$off) same (IP adj address))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S87	137	((application or call or task or feature) with (transfer or hand$off or switch) with (client or user or terminal or device)) and XML and script and "remote procedure call"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S88	94	((application or call or task or feature) with (transfer or hand$off or switch) with (client or user or terminal or device)) and XML and script and "remote procedure call" and (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47

S89	85	((application or call or task or feature) with (transfer or hand$off or switch) with (client or user or terminal or device)) XML script "remote procedure call" (IP adj address) (wireless or cellular or satellite or PDA)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S90	10	(wireless or cellular).ab,ti,clm. adj call with transfer	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S91	21	((application or call) near2 (transfer or hand$off or switch$3) with (client or user or terminal or device)).ab. and (application adj server) and (IP adj address) and (destination or target or source)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S92	49	(wireless or cellular) adj call with transfer	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S93	121	(application or service) near2 (transfer$3 or hand$off) SIP SDP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S94	32	(application or service) near2 (transfer$3 or hand$off) SIP SDP IP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S95	12	application near2 (transfer$3 or hand$off) SIP SDP IP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S96	91	((application or call) near2 (transfer$3 or hand$off)) script$4 authenticat$4 hand$off	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S97	41	(application or call) near2 (transfer$3 or hand$off) SIP script SDP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47

S98	62	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S99	10	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S10 0	8	((application or call) near2 (transfer$3 or hand$off)) script$4 authenticat$4 hand$off ("remote procedure call")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S10 1	7	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S10 2	7	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3 allocat$3 assign$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S10 3	7	((application or call or task or session) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S10 4	8	((application or call or task or session) with (transfer$3 or hand$off or allocat$4 or assign$4) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S10 5	6	((application or call or task or feature) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat$3 allocat$3 assign$3 invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47

S106	100	((application or call or task or feature or session or state) same (transfer$3 or hand$off or switch$3) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S107	63	((application or call or task or feature or session or state) same (transfer$3 or hand$off or switch$3) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) (SIP adj invite)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S108	49	((application or call or task or feature or session or state) same (transfer$3 or hand$off or switch$3) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) (SIP adj invite) authenticat$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S109	32	((application or call or task or feature or session or state) same (transfer$3 or hand$off) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) (SIP adj invite) authenticat$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S110	4	(mobility with (service or application)).ab. 709/203.ccls. @ad<"20020205"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S111	43	(mobility with (service or application)) 709/203.ccls. @ad<"20020205"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S112	2	(mobility with (service or application)) 709/203.ccls. IP XML SIP (authori$7 or authenticat$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S113	56	(mobility with (service or application)) IP XML SIP (authori$7 or authenticat$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47

EAST Search History

S11 4	16	(mobility with (service or application)) 709/203.ccls. IP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S11 5	70	((application or call or task or feature or session or state) with (transfer$3 or hand$off or switch$3) with (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S11 6	15	(handoff$1 with messag$3 with source) and SIP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S11 7	10	(handoff with (application or service) with source) and (SIP OR XML)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S11 8	88	S78 and palm	USPAT; IBM_TDB	AND	ON	2007/02/19 20:47
S11 9	674	((application or call) near2 (transfer or hand$off or switch) with (client or user or terminal or device)).ab.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S12 0	1189	((application or call or task or feature) with (transfer or hand$off or switch) with (client or user or terminal or device)) and XML and script	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S12 1	1189	((application or call or task or feature) with (transfer or hand$off or switch) with (client or user or terminal or device)) and XML and script	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S12 2	1607	((wireless or cellular) with (call near2 (transfer$3 or switch$4 or hand$off))) (source or destination or (IP adj address))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S12 3	380	((wireless or cellular) with (call near2 (transfer$3 or switch$4 or hand$off))) (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S12 4	1	"5742905".pn.	USPAT	AND	ON	2007/02/19 20:47

EAST Search History

S12 5	0	(application or call) near2 (transfer$3 or hand$off) "5742905". pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S12 6	0	S69 "5742905".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S12 7	0	application near2 (transfer$3 or hand$off) "5742905".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S12 8	0	(application near2 (transfer$3 or hand$off)) and "5742905".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/02/19 20:47
S12 9	0	"5742905".pn. and (application with transfer$)	USPAT	AND	ON	2007/02/19 20:47
S13 0	1	"5742905".pn. application transfer$	USPAT	AND	ON	2007/02/19 20:47
S13 1	1	"5473143".pn.	USPAT	AND	ON	2007/02/19 20:47
S13 2	1	"5473143".pn. application transfer$	USPAT	AND	ON	2007/02/19 20:47
S13 3	0	"5742905".pn. ((application or session) with transfer$)	USPAT	AND	ON	2007/02/19 20:47
S13 4	69253	((application or session) with transfer$)	USPAT	AND	ON	2007/02/19 20:47
S13 5	3	((application or session) with transfer$) (source or destination with (IP adj address)) XML SIP (RPC or "remote procedure call") SIP SDP XML script	USPAT	AND	ON	2007/02/19 20:47
S13 6	3	((application or session) with transfer$) (source or destination with (IP adj address)) XML SIP (RPC or "remote procedure call") SDP script	USPAT	AND	ON	2007/02/19 20:47
S13 7	4	((application or session) with transfer$) (source or destination with (IP adj address)) XML SIP (RPC or "remote procedure call") script	USPAT	AND	ON	2007/02/19 20:47

S13 8	22	((application or session) with transfer$) (source or destination with (IP adj address)) XML SIP script	USPAT	AND	ON	2007/02/19 20:47
S13 9	83	(session with transfer$ with between with client)	USPAT	AND	ON	2007/02/19 20:47
S14 0	3	((application or session) with transfer$) ((source or destination) with (IP adj address)) XML SIP script	USPAT	AND	ON	2007/02/19 20:47